



Scaffolding Swivel Casters Cast Iron Rim Wheel for Adjustable Screw Jack Base

Our Product Introduction

for more products please visit us on greycastironcasting.com

Basic Information

- Place of Origin: Ningbo China
- Brand Name: NC95
- Certification: ISO 9001
- Model Number: 95
- Minimum Order Quantity: 1 pcs
- Packaging Details: Customized
- Delivery Time: 25 days
- Payment Terms: T/T, L/C
- Supply Ability: 100,000 pcs per month



Product Specification

- Maximum Load: 125kg
- Specification: 5inch, 125*32mm
- Diameter: 125mm
- Thickness: 4.75mm
- Materials: Iron, Rubber, Steel, PU, Plastic
- HS Code: 8716900
- Highlight: scaffolding fittings, scaffolding parts



More Images



Product Description

Scaffolding Swivel Casters Cast Iron Rim Wheel for Adjustable Screw Jack Base

Application

Attached with scaffolding vertical main tubes and also can be used together with adjustable scaffolding screw threaded stem jack base for scaffolding bottom leveling.

Scaffolding caster sizes: 5", 6", 8", 10" according to clients requirement.

Our factory produce scaffolding caster wheels for heavy duty and light duty including rubber casters, steel casters, polyurethane caster wheels and polyurethane on cast iron wheel.

Features

Ideal For Most Interior Scaffold That Accept A Square Stem Caster On The Market.

Spring Lock Pin Available.

Square Solid Stem Shank Shaft.

Hard Rubber Wheel Non-Marking.

Hollow Square Stem, Lighter Weight, Lower Price.

Specification

Scaffold casters with red polyurethane on cast iron wheel



SPEC. (inch)	Capacity Each (kg)	Wheel Dia. D(mm)	Tread Width W(mm)	Wheel Bearing Type	Swivel Radius E(mm)	Overall Height H(mm)	Scaffold Casters with PU on Iron wheel Model No.
5"×2"	300	125	50	Roller	41	163	SCAFA-125050R-13
6"×2"	365	150	50	Roller	41	187	SCAFA-150050R-13
8"×2"	385	200	50	Roller	53	237	SCAFA-200050R-13
10"×2"	385	250	50	Roller	65	293	SCAFA-250050R-13

* Yellow polypropylene wheel tread, black polyurethane wheel tread available.

Scaffold casters with polyurethane on polypropylene wheel



SPEC. (inch)	Capacity Each (kg)	Wheel Dia. D(mm)	Tread Width W(mm)	Wheel Bearing Type	Swivel Radius E(mm)	Overall Height H(mm)	Scaffold Casters with PU on PP wheel Model No.
5"×2"	220	125	50	Roller	41	163	SCAFA-125050R-93
6"×2"	250	150	50	Roller	41	187	SCAFA-150050R-93
8"×2"	300	200	50	Roller	53	237	SCAFA-200050R-93

* Red polyurethane on black polypropylene core wheel available.

Detail Specification	Product Name	Scaffolding Caster
	Wheel Size	5 Inch
	Wheel Material	PU on Cast Iron
	Mount Type	Round Stem
	Fork Type	swivel
	Load Capacity	125KG
Available Size	3, 4, 5 inch	
Payment Terms	30% TT Deposit, 70% Balance before Delivery or Against BL Copy L/C, T/T	
Why Choose US	15 years old caster manufacture 12 Month Warranty period ODM&OEM acceptable Professional R&D team Full set of test machine	

Service

Sample: Available for our standard caster

Sample fee: Paid by customer, but can be refund when order placed.

Delivery fee: Send by express, paid by customer, but can be refund after order placed.

Quick response: Your enquiry will be replied within 24 hours.



FAQ

1. Q: What types of casters do you have?

A: Furniture caster, Office caster, Industrial heavy duty caster wheel, Super Heavy duty caster wheel, Extra Heavy duty caster wheel.

2. Q: What kinds clients do you have?

A: We have many clients who specialized in CNC machines, Dolly, cart, cleaning equipment, gym equipment manufacturing etc, well accept our quality.

3. Q: Can you do OEM product?

A: Yes, we can provide OEM service.

4. Q: How long warranty for caster wheels?

A: All of our caster wheels have 1-2 year warranty.



Sunrise Foundry CO.,LTD



+86-15067447509



sales@greycastironcasting.com



greycastironcasting.com