

Ringlock Scaffolding Rosette Scaffold Clamp Ring System Scaffold Components

Basic Information

Place of Origin: Ningbo China
Brand Name: NC31
Certification: ISO 9001
Model Number: 31
Minimum Order Quantity: 1 pcs

Packaging Details: Wooden CaseDelivery Time: 20 days

• Supply Ability: 150,000 pcs per month



Product Specification

• Type: Scaffolding Parts

• Product Name: Ringlock Scaffolding Rosette Scaffold Clamp

Ring

Application: Ringlock Scaffolding

Thickness: 9-10mmTechnique: CastingSurface: Shot Blasting

Highlight: scaffolding fittings, formwork accessories



More Images





Product Description

Ringlock Scaffolding Rosette Scaffold Clamp Ring System Scaffold Components

Application

What is Rosette Clamp: Ring Lock System Ringlock Scaffolding Rosette Clamp is made in Casted Steel with 22 flange nut and 8.8 class T bolt combined by rivet and two pieces of half casted rosettes. It is used as a clamp function like ringlock standard vertical rings to connect with ringlock ledger horizontal, bay brace etc.

Features

- 1. High stability: stable with the diagonal brace fixed on it. The big holes in the ringlock rosette are used for the lock pin of the diagonal brace
- 2. Long life span: Scaffolding parts are connected with welding technique and ensure good cracking and deformation resistance
- 3. Multi-function: suitable for outdoor and indoor building, bridge, tunnel, hull building and great span construction, etc
- 4. Easy assembling and disassembling
- 5. Tube size and thickness can be customized as per customer's requirements

Related Products

Ringlock scaffolding, Coupler scaffolding, Cuplock scaffolding, Frame scaffolding, Kwikstage scaffolding, Aluminium alloy scaffolding, trays, Planks and Walkboards, Base Jack, Castor, Safety Tag, wing nuts, tie rod, panel clamp, wedge bolt, shoring prop, plywood board, modular.

Main Market

European countries, Australia, North America, Mid-east countries, and South East Asia and some African countries, etc


Product Details

Item	Ringlock scaffolding rosette scaffold clamp ring
Material	Casted Steel
Thickness	9-10mm or as your request
Surface	HDG/Shot blasting
Unit weight	1.1kg / pcs
Note	OEM service is available
Package	Steel pallet or plywood pallet or as your request.
Payment terms	T/T, L/C or other.
Delivery Time	15-30 days after confirmation



Our Advantages

Professional manufacturer with powerful manufacturing capacity. Extensive and comprehensive quality control system. Excellent products with competitive price. Efficient service on pre and after sale. Full energy with affluent experience team.



Why Choose Us

1. We have more than 25 years experience on manufacturing and exporting.

From ten years ago, we started to work and produce the formwork accessories and scaffolding accessories. Till now, we have had the professional technology and perfect process flow. Our products have the very stable quality on the the material and also on the appearance.

2. We have the excellent quality control.

We equip the completed quality control equipments involving the Tensile strength tester, Chemical analysis equipment, Metallographic equipments and so on. Meanwhile we will do the 100% sorting and inspecting to the products' appearance and thread. So that make sure 100% products are qualified.

- 3. We have the competitive price.
- 4. We have the excellent quality control.

We equip the completed quality control equipments involving the Tensile strength tester, Chemical analysis equipment, Metallographic equipments and so on. Meanwhile we will do the 100% sorting and inspecting to the products' appearance and thread. So that make sure 100% products are qualified.





+86-15067447509



sales@greycastironcasting.com



@ greycastironcasting.com