



## Prestressed Post Tension Extruding Anchor PC Strand Dead End Anchorage

Our Product Introduction

for more products please visit us on [greycastironcasting.com](http://greycastironcasting.com)

### Basic Information

- Place of Origin: Ningbo,China
- Brand Name: NC934
- Certification: ISO9001,CE,SGS
- Model Number: 934
- Minimum Order Quantity: 100 pcs
- Price: \$1-50
- Packaging Details: Wooden Case
- Delivery Time: 25-30 days
- Payment Terms: T/T, L/C
- Supply Ability: 80,000 pcs per month




### Product Specification

- Part Name: Dead End Extrusion Anchor
- Diameter: 12.7mm 15.2mm
- Application: PC Strand, PC Wire
- Type: Concrete Anchor
- Length: About 50mm
- Material: Steel
- Standard: GB/T14370-2010
- Highlight: **post tension accessories, prestressed anchorage**



### More Images




## Product Description

### Prestressed Post Tension Extruding Anchor PC Strand Dead End Anchorage

#### Application

YJM dead-end anchorage can prestress the extruding anchorage on the strand by the barrel swager. It needs to be pre-casted into the concrete, stressed after the concrete freezing to the designed strength.



1.Duct 2. Restraining ring 3. Vent 4. Spiral reinforcement  
5. Strand 6. Dead-end bearing plate 7. Swaged end

#### Features of YJM Anchors

The characteristics of YJM anchors are as the following:

1. Wide application: it is adaptable for stand with diameters of  $\Phi 8$ ,  $\Phi 9$ ,  $\Phi 11$ ,  $\Phi 12.7$ ,  $\Phi 15.2$  and  $\Phi 18$  with various strength from 1570Mpa to 2000Mpa as well as for high tensile steel wires with diameters of  $\Phi 5$ ,  $\Phi 7$  with the standard strength from 1570Mpa to 1860Mpa.
2. YJM anchoring system is available for full range of tendon sizes (1-55 strands). In addition, our company can produce anchorages of any type of arbitrary holes in accordance with demands of customers.
3. Good in terms of self-anchoring and easy operation;
4. High anchoring efficiency factor, stable and reliable;
5. Be capable of repetitive stretching and strong in terms of anti-interference capability.

#### Specification

<b>Product Name</b>	Manufacturer Price HRC 50-65 work wedge for sale
<b>Material</b>	45# or 40Cr
<b>Color</b>	Galvanized or Black
<b>Standard</b>	GB/ISO/ASTM/SGS
<b>Product Shape</b>	Round
<b>Product Type</b>	Single Hole
<b>Place of Origin</b>	Tianjin,China Mainlan
<b>Application</b>	Bridge,Building,Highway,Railway,etc



#### Related Products



#### FAQ

Q: How long is your delivery time?

A: Generally it is 5-10 days if the goods are in stock. or it is 15-20 days if the goods are not in stock, it is according to quantity.


Q: Do you provide samples ? is it free or extra ?

A: Yes, we could offer the sample for free charge but do not pay the cost of freight.

 Sunrise Foundry CO.,LTD

 +86-15067447509

 sales@greycastironcasting.com

 greycastironcasting.com