



Unbonded Monostrand Post Tension Anchor Plate For Slab Post Tensioning

Our Product Introduction

for more products please visit us on greycastironcasting.com

Basic Information

- Place of Origin: Ningbo,China
- Brand Name: NC781
- Certification: ISO9001,CE,SGS
- Model Number: 781
- Minimum Order Quantity: 100 sets
- Price: \$1-50
- Packaging Details: Wooden Case
- Delivery Time: 30 days
- Payment Terms: T/T, L/C
- Supply Ability: 60,000 pcs



Product Specification

- Part Name: Monostrand Anchorage Plate
- Diameter: 12.7mm Or 15.2mm
- Material: Cast Iron
- Color: Galvanized/Black / Colored
- Application: Buidling
- Sample: Free
- Highlight: **post tensioning system, prestressed anchorage**



More Images



Product Description

0.5" Prestressed Concrete Cast Iron Unbonded Monostrand Anchorage Plate for Slab Post Tensioning

Description

The material for mono anchorage is spheroidal graphite cast iron, which puts traditional anchor ring and plates into one integration anchor. It simplifies the complicated manufacturing procedure and structure, which has the advantage of convenient construction, perfect sealability and easy to guarantee the perpendicularity between the anchorage and steel strands.

We provide after-sale service, technical support, personalization and processing, production on-demand and strictly in accordance with the buyer requirements to provide quality services.

Provide engineering construction for bridge,railway,building etc,and maintenance and reinforcement of bridge.We have a strong engineering team who are all qualified and resolve kinds of problems during construction.If you have another question, please feel free to contact us.

Product Details

Component	monostrand anchor, anchor wedge, plastic pocket former
Type	YJM13(PC strand diameter of 12.5mm 12.7mm /12.9mm) ; YJM15(PC strand diameter of 15.2mm /15.7mm)
Application	used in pre-tension or post-tension for concrete constructions or other building constructions
Related products	unbonded steel strand (PE strand)



Our Service

Best price: No matter you are a seller or end user, we will provide you our best price for our future cooperation.

Professional services: 1x7 days 24 hours service online, and engineer can service oversea

Samples: We are free to provide you sample for your test

A: Please tell me how many holes anchor do you need?

B: What is your required diameter for pc strand you use?

FAQ

Q: Do you provide samples ? is it free or extra ?

A:Yes, we can offer samples for free, but the express cost would be on buyer's account.

Q:How long is your delivery time?

A:Generally it will be 5 to 15 days according to quantity and type of the products.

Q:What is your terms of payment?

A:We accept T/T, L/C, D/P and D/A. For T/T payment, we accept 30% prepayment in advance and the balance payable against the copy of B/L.



Sunrise Foundry CO.,LTD



+86-15067447509



sales@greycastironcasting.com



greycastironcasting.com