



Building Materials Post Tension Anchor Wedges For 12.7mm 15.2mm PC Strand

Our Product Introduction

Basic Information

- Place of Origin: Mainland China
- Brand Name: NC935
- Certification: ISO9001,CE,SGS
- Model Number: 935
- Minimum Order Quantity: 100 pcs
- Price: Can talk
- Packaging Details: Wooden Case
- Delivery Time: 30 days
- Payment Terms: T/T, L/C
- Supply Ability: 90,000 pcs monthly



Product Specification

- Item Name: Anchorage Wedge
- Application: Building Construction
- Material: 20CrMnTi, 20CrMn5
- Length: 36mm
- Diameter: 25mm
- Surface Treatment: Galvanized Or Black
- OEM: Available
- Highlight: **post tension accessories, prestressed anchorage, post tensioning system**



More Images



Product Description

Building Materials Post Tension Anchorage Wedges For 12.7mm 15.2mm PC Strand

Application

The 3-Piece anchor wedges are useful in higher stress applications where the anchor is loaded and simply locked off, typical to temporary applications. They are Anchor Head Wedges.

Features:

All wedges are equipped with a ring to keep the wedge attached to the tendon during elongation and /or tensioning operations.

Product Details

Production	Forging ,improve the metallographic structure
Type	two or three parts
material	20CrMnTi
Inspection	Flaw detection,Deoxidation
Surface hardness	HRA79-84
Core Hardness	HR38-46
Carbonitriding Layer Depth	0.35-0.6mm/0.6-0.8mm
Metallographic Analysis	Carbonitride, Tempered, Retained Austenite



Production Process

1. The anchor wedges are manufactured from case hardened steels and are case hardened for durability. Accurate, automated production plus stringent testing guarantee the highest quality.
2. The anchorage systems develop the required strength through the interplay between wedges and prestressing steel, and between the wedges and anchor plate. Characteristics that effect this interplay are wedge angle, wedge teeth amplitude and spacing, type of steel, type of heat treatment, and general strand configuration in the anchor plate.



FAQ

Q: Do you provide samples ? is it free or extra ?

A: Yes, we can offer samples free of charge. But the express cost should be on buyer's account.

Q: How long is your delivery time?

A: Generally it is according to the quantity and the type. It is usually from 5 to 15 days.

Q: What is your terms of payment?

A: We accept T/T, irrevocable L/C at sight, D/P and D/A. For the T/T payment, we accept 30% prepayment in advance and the balance payable against the copy of B/L.



Sunrise Foundry CO.,LTD



+86-15067447509



sales@greycastironcasting.com



greycastironcasting.com