

Integration Post Tension Anchor Mono Strand Anchorage For Unbonded PC Strand

Basic Information

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity: 100 pcs
- Price:
- Packaging Details:
- Delivery Time:
- Payment Terms: T/T, L/C
- Supply Ability:



Product Specification

- Product Name:
- Application:

• Material:

• Diameter:

Color:Elongation:

• OEM:

Monostrand Anchorage PC Strand Cast Iron 12.7mm, 15.2mm, Etc

Mainland China

ISO9001,CE,SGS

NC735

735

Can talk

30 days

Wooden Case

80,000 pcs monthly

- Galvanization/Black/ Steel ≥2.0%
- - A
- Highlight:

Available

post tension accessories, prestressed anchorage, post tensioning system



More Images



Product Description

Post Tension Integration Anchor MonoStrand Anchorage For Unbonded PC Strand

Applicaton

Modern construction, especially used in pre-tension or post-tension for concrete constructions and building materials. To lock unbond strand Component

Anchor head, bearing plate, anchor wedge, spiral reinforcement, plastic or metal corrugated ducts, PC strands(PC wire bundle).

Product Details

Product Name	Prestressed Concrete Monostrand Anchor
Material	Cast Iron
Color	Galvanized / Black / Yellow / Colored
Certification	ISO,BV,ISO9001,CHINA MINING SAFETY CERT
Wedge Type	2 PCs or 3 PCs
Brand	NC
Place Of Origin	Mainland China
Application	Unbonded PC Strand







Our Service

Strict quality control system Free sample Customized product can be made Offer professional consutation and and service

FAQ

Q: Do you provide samples ? is it free or extra ? A:Yes, we can offer samples free of charge. But the express cost should be on buyer's account.

Q:How long is your delivery time? A:Generally it is according to the quantity and the type.It is usually from 5 to 15 days.

Q:What is your terms of payment?

A:We accept T/T, irrevocable L/C at sight, D/P and D/A.For the T/T payment, we accept 30% prepayment in advance and the balance payable against the copy of B/L.



Sunrise Foundry CO.,LTD



@ greycastironcasting.com