



## Bituminous Coated Mechanical Joint Tee 500 Lbs Weight High Tensile Strength

### Our Product Introduction

#### Basic Information

- Place of Origin: Mainland China
- Brand Name: NC346
- Certification: ISO9001,CE,SGS
- Model Number: 346
- Minimum Order Quantity: 100 pcs
- Price: Can talk
- Packaging Details: Wooden Case
- Delivery Time: 30 days
- Payment Terms: T/T, L/C
- Supply Ability: 90,000 pcs monthly



#### Product Specification

- Item Name: MJ Mechanical Joint Tee
- Material: Ductile Iron ASTM A536
- Size: 24" X 12"
- Surface: Cement Lined, Bituminous Coated
- Weight: 500 Lbs
- Standard: ANSI/AWWA C153
- Highlight: pipe fitting components, ductile iron pipe fittings



#### More Images



## Product Description

### 24" X 12" MJ Mechanical Fittings Joint Tee C153 Ductile Iron Casting

#### Product Details

Material: Ductile iron ASTM A536
Standards: AWWA C153
Mechanical properties: Tensile strength >420mpa ; Elongation >5%; Hardness <250HB; Proof stress >300mpa
Coating: bitumen painting zinc + bitumen painting liquid epoxy resin painting epoxy applied by FBE according to customers' requirements



#### FAQ

Q: How long is your delivery time?

A: Generally it is 5-10 days if the goods are in stock. or it is 15-30 days if the goods are not in stock, it is according to quantity.

Q: Do you provide samples ? is it free or extra ?

A: Yes, we could offer the sample for free charge but do not pay the cost of freight.

Q: What is your terms of payment ?

A: T/T in advance, balance before shipment.



**Sunrise Foundry CO.,LTD**



+86-15067447509



sales@greycastironcasting.com



greycastironcasting.com