

Mainland China

ISO9001,CE,SGS

NC094

094

Can talk

30 days

Wooden Case

90,000 pcs monthly

# Small End Bell Reducer Mechanical Joint Pipe Fittings DI 350 C153 Standard

# **Basic Information**

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity: 100 pcs
- Price:
- Packaging Details:
- Delivery Time:
- Payment Terms: T/T, L/C
- Supply Ability:



## **Product Specification**

- Item Name:
- Size:
- Material:
- Surface:
- Standard:
- Sample:
- Highlight:
- End Small Bell Reducer 24" X 18" Ductile Iron ASTM A536 Cement Lined, Bituminous Coating C153 Free
- pipe fitting components, ductile iron pipe fittings



### More Images



### 24" X 18" MJ Small End Bell Reducer Mechanical Joint DI 350 C153

### **Product Details**

Material: Ductile iron ASTM A536		
Working Condition: 350 PSI rating for 4"-24" size	s, 250 PSI rating for 30"-48" sizes	
Finish:External coatings	Internal coatings	
bitumen painting zinc + bitumen painting liquid epoxy resin painting epoxy applied by FBE according to customers' requirements	bitumen painting cement mortar lining liquid epoxy resin painting epoxy applied by FBE according to customers' requirements	

Dimensions and testing in accordance with ANSI/AWWA C153 / A21.53

Application: Mechanical joint in which sealing is obtained by applying pressure to the gasket by gland.





#### FAQ

Q:What's your qualification in this product ?

A: We have been engaged in this industry for decades with seasoned export team . All the product is strictly conformed to the international standard ANSI/AWWA C153/C110 and other related standard.

Q:How long is your delivery time?

A: Generally it is 5-10 days if the goods are in stock. or it is 20-30 days if the goods are not in stock, it is according to quantity. Q:What's your terms of payment ?

A: 30% T/T	in advance , b	alance before shipme	nt or against L/C .		
			🔅 Sunrise Foundry CO.,L	тр	
	C	+86-15067447509	sales@greycastironcasting.com	@ greycastironcasting.com	