

Union 12" X 4" Cast Iron Pipe Fittings Mechanical Joint Fittings MJ Cap 51 LBS Weight

Basic Information

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity: 100 pcs
- Price:
- Packaging Details:
- Delivery Time:
- Payment Terms: T/T, L/C
- Supply Ability:



Product Specification

• Manufacture Standard:

- Item Name:
- Material:

• Size:

• Weight:

• Sample:

• Highlight:

MJ CAP Ductile Iron ASTM A536 12" X 4" 51 LBS ANSI/AWWA C153 Free

Mainland China

ISO9001,CE,SGS

NC986

can talk

30 days

Wooden Case

90,000 pcs monthly

986

pipe fitting components, ductile iron pipe fittings



for more products please visit us on greycastironcasting.com

Product Description

UNION 12" X 4" MECHANICAL JOINT Fittings MJ CAP 4" FNPT TAP 350 DI

Product Details

Material: ductile iron ASTM A536

Size range: DN 80-2600mm

Working pressure: 350 psi for 100mm~600mm; 250psi for 750mm~2600mm

Manufacture standard: ANSI/AWWA C153

Casting method: lost foam technique

Testing according to ANSI/AWWA C153/A21.53

Annual capacity: 5,000 tons

Coating: FBE/cement lining with zinc bitumen coating/zinc+ bitumen inside and outside/customers' requirement

Accessories: SBR/EPDM rubber(ANSI/AWWA C111/A21.11) gaskets, T-bolts and nuts(low ally steel ANSI/AWWA C111/21.11), and gland, etc.

Package: standard wooden/steel pallets/customers' requirements

Easy installation at site and service free for life



Quality Control

We conduct strict quality inspections over each batch. We have a very professional laboratory with full serious of testing and inspection as Leak testing, raw material receiving inspection, batch chemical composition inspection, Micr-ostructure testing, dimension inspection, first article inspection, in-process inspection and final visual inspection. In- order to ensure high quality

Our Service

Buyer's drawings or designs are available.

Package Cartons without pallet, Cartons with pallet, Double woven bags, Or as buyer's requirements

Delivery details According to the quantities and specifications of each order.

Normal delivery time is from 30 to 45 days after receiving the deposit.

