

Basic Information

• Place of Origin: Mainland China

• Brand Name: NC0853

• Certification: ISO9001,CE,SGS

Model Number: 0853
Minimum Order Quantity: 100 pcs
Price: Can talk
Packaging Details: Crate
Delivery Time: 30 days
Payment Terms: T/T, L/C

• Supply Ability: 90,000 pcs monthly



Product Specification

Material: Grey IronProcess: Sand Casting

• Finish: Painting

• Dimensions: As Per Your Drawing

Inspection: 100%OEM: Available



More Images




Product Description

Custom Made Sand Casting Factory Cast Iron Linear Components

Product Details

| Technical | Sand casting |
|---------------------|--|
| Material | Grey iron |
| Material Grade | GB, ASTM , AISI , DIN , BS, JIS, NF |
| Weight | 1kg~50kg |
| Accuracy | casting tolerance CT6-CT7, machining tolerance ISO2768-mk |
| Surface Roughness | up to Ra0.7~Ra3.2 |
| Applied software | ProE (.igs , .stp) , Auto CAD , PDF, Jpeg, Jpg, Png |
| Production capacity | more than 1500MT per year |
| Heat Treatment | anneal,quenching,normalizing,carburizing, polishing, |
| | plating, painting |
| Machining Equipment | CNC center , CNC machines, turning machines, |
| | drilling machines , milling machines, grinding machines |
| Measuring Tool | CMM , Projector, pneumatic micrometer, magnetic powder inspection, vernier |
| | caliper, depth caliper, micrometer, |
| | pin gauge, thread gauge, height gauge |
| QC system | 100% inspection before shipment |
| MOQ | 500kg |
| Lead Time | sample fast , lot production depends on customers' request |
| Certification | ISO9001:2015 |
| Payment Terms | T/T , L/C, D/P , D/A |
| Shipment Terms | FOB , CFR, CIF |





Our workshop

WorkShop



Company advantage

Guarantee/warranty Product feature Product performance Prompt delivery Quality approval
Small order accepted

Service

Drawing: we can translate your original drawing,offer best suggestion on design Quality: we have full set quality contral system to guarantee the best quality. Inspection: inspect in house,all our products must be checked 3 times before packing.







