



304 316 Stainless Steel Hose Clamp Precision Investment Casting Parts

Our Product Introduction

for more products please visit us on greycastironcasting.com

Basic Information

- Place of Origin: Mainland China
- Brand Name: NC9343
- Certification: ISO9001,CE,SGS
- Model Number: 9343
- Minimum Order Quantity: 100 pcs
- Price: Can talk
- Packaging Details: Wooden Case
- Delivery Time: 35 days
- Payment Terms: T/T, L/C
- Supply Ability: Can talk



Product Specification

- Item Name: Hose Clamp
- Application: Fluid
- Material: 304, 316 St/st
- Process: Precision Investment Casting
- Finish: Natural
- Inspection: 100%



More Images



Product Description

304 316 Stainless Steel Hose Clamp Precision Investment Casting Parts

Product Detail

Description	304 316 Stainless Steel Hose Clamp Precision Investment Casting Parts
Type	GB, ANSI, BS, DIN, JIS,ASTM,ASME,AISI
Application	Fluid
Processing	precision casting, lost wax casting, investment casting
Material	Stainless steel
Weight Ranges	0.05kg-1000KG
Tolernace	Controlled by ISO 8062 CT11-14, CT10-13,CT6-8
Drawing Format	Pro-E, UG, SolidWorks, AutoCad, PDF
Quality Control	Material, Dimension, Performance, inside defects, Balance test
Standard	ASTM, DIN,J IS, ISO, GB standard



Our Advantages

Conceptual design, Rapid Prototyping, R&D, FIMA, APQP, part production with PPAP, 3D model analysis, independent warehouse. QC,QA and a traceable product data management to meet AQL requirement.

Quality Control

All of our operations are stricly compliant with ISO9001 guidelines and VDA five quality management tools. Strict quality control system from raw material, in production and after production. We also have 15% spot check. Distinguished customer inspection are also warmly welcomed.



CMM



Tensile Test Machine



FAQ

What is your MOQ?

It is according to you, usually it is 1000 units. We accept small quantity..

What is the delivery time for the sample?

It is according to the sample, usually it is 25 to 35 days.

What is the thinnest wall thickness you can cast?

By special technology, like ceramic core/soluble wax, we can cast the wall thickness at 0.5-0.8mm.

What is the range of the weight you have casted?

The weight we can cast from 0.007kg to 80kg.



Sunrise Foundry CO.,LTD

+86-15067447509

sales@greycastironcasting.com

greycastironcasting.com