

Tunnel And Mining Prestressed Expansion Shell Anchor Bolt Expansion Shell Anchor

Our Product Introduction

for more products please visit us on greycastironcasting.com

Basic Information

- Place of Origin: Mainland China
- Brand Name: NC0625
- Certification: ISO9001,CE,SGS
- Model Number: 0625
- Minimum Order Quantity: 100 pcs
- Price: Can talk
- Packaging Details: Wooden Case
- Delivery Time: 30 days
- Payment Terms: T/T, L/C
- Supply Ability: 50,000 pcs per month




Product Specification

- Part Name: Expansion Shell
- Weight: 0.35kg
- Application: Outdoor, Rock Support Pre-protection
- Size: T22*105mm
- Finish: Clean
- OEM: Available



More Images



Product Description

Tunnel And Mining Prestressed Expansion Shell Rock Bolt Expansion Shell Anchor

Product Details

Product Name	Expansion Shell
Type (Size)	32mm, 35mm, 38mm, 42mm, 48mm
Material	Cast Iron
Finish	Sand Blasting
weight	0.3-0.6KG etc.



Product Specification

Anchor bolt, in tunneling and underground mining, steel rod inserted in a hole drilled into the roof or walls of a rock formation to provide support to the roof or sides of the cavity. Rock bolt reinforcement can be used in any excavation geometry, is simple and quick to apply, and is relatively inexpensive. The installation can be fully mechanized.

The length of the bolts and their spacing can be varied, depending on the reinforcement requirements.

Products Descriptions

Product Name	Expansion Shell Anchor Bolt	Original Material	C1045	16Mn	42CrMo
Dimensions	As Below Chart Showed	Production Method	Mechanical Processing		


Descriptions

Expansion Shell Anchor Bolt is one of rock support bolts, consist of Spherical washer, vent hole dome washer, expansional shell, position centre and heavy standard hex nut, It's suitable for all directions prefabricated Grouting hole. Could be satisfy full Length or part length cement grouted in the rock hole. Bar Length normally have 1.5m/2.0m/2.5m/3.0m or as per ordered.

Mechanical Properties

Expansion Shell Anchor Bolt

	Tensile Strength KN	Yield Strength KN	O.D	I.D	Weight kg/m
M27	188	157	25	15	2.7
M30	295	246	29	14	3.7
Output/month	10,000pcs		Delivery Lead Time 30 days as normal		
Delivery Terms	FOB	CNF	CIF	EXW	Original Port NINGBO SHANGHAI



Related Products

Expansion shell, rock bolt, bearing plate, washer, mechanical bolt, coupling bolt.

Our Advantages

1. Our factory has been making mining and building accessories for more than 25 years.
2. We are manufacturer. Direct communication with our engineer.
3. We can forging and casting parts as per your drawing and technical requirements.
4. Quality certificate: SGS ISO9001, TS16949, CE.
5. All of our parts are 100% inspection.
6. The price is very reasonable with superior quality.