

Post Tension Anchor Plate Arc Anchor Curved Anchor Block Flat Anchorage

Basic Information

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity: 100 pcs
- Price:
- Packaging Details:
- Delivery Time:
- Payment Terms: T/T, L/C
- Supply Ability:



Product Specification

- Item Name:
- Type:
- Application:
- Material:
- Size:
- Surface Treatment:
- Sample:

| S3, S5 |
|----------------------|
| Prestressed Concrete |
| Iron |
| 12.7 |
| Anti-rust |
| Available |

Flat Anchorage

Mainland China NC2462

ISO9001,CE,SGS

50,000 pcs per month

2462

Can talk Standard

35 days



More Images



Product Description

Post Tension Anchor Plate Arc Anchor Curved Anchor Block Flat Anchorage

Product Details

| Components for one full set | S3 S5 Casting anchor, anchor block, anchor head, anchor wedges for 12.7mm steel strand, 15.24mm steel strand | |
|-----------------------------|--|--|
| Flat anchorage | 3 holes, 5 holes | |
| Material of anchor head | casting iron | |
| Material of wedge | 20CrMnTi | |
| Surface treatment | anti-rust treatment | |
| Package | in cartons or wooden boxes | |
| Application field | post tension projects such as bridges, malls and roads | |









Features

Including anchor head, anchor wedge and anchor plate

Adopts the ductile iron material, and combines the traditional anchor head and the anchor plate into one, which greatly simplifies the complicated machining process in the previous anchor tool processing

The utility model is characterized in that the tension end anchor is integrated with the anchor ring by ductile iron, and the structure is compact and the anchoring is reliable.

The full length of the prestressing tendon can be completely closed. Flat Shape, Mature Efficiency Design, Straight or Arc shape anchor head abailable 3, 4, 5 holes available; Well Deburring and Chamfering; Galvanized or Chemical Dioxide Surface Treatment(Black).

Advantage: simple structure, Convenient installation, Good sealing performance, Used for unbonded prestressed building works

FAQ

Q1: What is your payment terms?

A1: TT FOB: 30% deposite, balance before shipment. TT CIF: 30% deposite, balance based on scanned BL.

LC 100% at sight

Q2: Can you supply stocks? Can you deal small orders?

A2: Yes, we can.Small orders can also be accepted.

Q3: Do you provide samples ? is it free or extra ?

A3: Yes, we can offer samples free of charge. But the express cost should be on buyer's account.

Q4: If found the product with substardard quality. How can you solve it?

A4: The buyer will be required to submit proof file, picture, video of the said substandard cargo to

us first. We can also send our engineer to your field to check it directly, if necessary.

Q5: If accept OEM service to made product as per buyer offering drawing?

A5: Yes, we can offer OEM service. manufacture product as per buyer's offering drawing.

| Sunrise Foundry CO.,LTD | | | | |
|-------------------------|-------------------------------|---------------------------|--|--|
| +86-15067447509 | Sales@greycastironcasting.com | e greycastironcasting.com | | |