



Ductile Iron ASTM A536 65-45-12 Casting Crane Bracket

Basic Information

- Place of Origin: Mainland China
- Brand Name: NC7352
- Certification: ISO9001,CE,SGS
- Model Number: 7352
- Minimum Order Quantity: 100 pcs
- Price: Can talk
- Packaging Details: Wooden Case
- Delivery Time: 30-35 days
- Payment Terms: T/T, L/C
- Supply Ability: 50,000 pcs per month



Product Specification

- Part Name: Crane Bracket
- Material: Ductile Iron ASTM A536 65-45-12
- Process: Sand Casting
- Finish: Sandblasting
- Size: Customized
- Quality Control: 100% Inspection



More Images



Product Description

Ductile Iron ASTM A536 65-45-12 Casting Crane Bracket

Factory Introduction

We specialize in Metal Parts Solution for Vehicle, Agriculture machine, Construction Machine, transportation equipment, Valve and Pump system.


With keeping manufacturing process design, quality planning, key manufacturing processes and final quality control in house we are mastering key competence to supply quality mechanical parts and assembly to our customers for both Chinese and Export Market .

To satisfy different mechanical and functional requirements from our customers we are making a big range of metal products for our clients on base of different blanks solutions and technologies. These blanks solutions and technologies include processes of Iron Casting, Steel Casting, Stainless Steel Casting, Aluminum Casting and Forging.

During the early involvement of the customer's design process we are giving professional input to our customers in terms of process feasibility, cost reduction and function approach. You are welcome to contact us for technical enquiry and business cooperation.


Product Details

Main blank Process for Casting	Sand Casting , Resin Sand Casting, Green Sand Casting, Shell Molding, Automatic Molding, Lost Wax Casting, Lost Foam Molding Casting etc.
Blanks Tolerance -Casting Tolerance	CT9-10 for Machine Molding Process, CT8-9 for Shell Molding and Lost Foam Molding Casting Process CT10-11 for Manual Molding Sand casting Process
Applicable Material	See Table Below (Ductile Iron Casting, Grey Iron Casting) OR According to customer requirement
Casting Blank Size /Dimensions	2 mm-2000mm / 0.08inch-79inch for casting iron, according to customer requirement
Casting Blank Weight	Range from 0.01kg-1000kg for casting iron
Applicable Machining Process	CNC Machining/ Lathing/ Milling/ Turning/ Boring/ Drilling/ Tapping/ Broaching/Reaming /Grinding/Honing and etc.
Machining Tolerance	From 0.005mm-0.01mm-0.1mm
Machined Surface Quality	Ra 0.8-Ra3.2, according to customer requirement
Applicable Heat Treatment	Normalization , annealing, quenching and tempering, Case Hardening, Nitriding, Carbon Nitriding, Induction Quenching
Applicable Finish Surface Treatment	Shot/sand blast, polishing, Surface passivation, Primer Painting , Powder coating, ED- Coating, Chromate Plating, zinc-plate, Dacromat coating, Finish Painting etc.
MOQ	For cast iron: 100pcs For Machining: 50pcs



Production Process

WorkShop



Quality Control	Our company have a large number of the Quality Control Engineers, and we also have a lot of high precision testing equipment. such as: three coordinate measuring system, Spector: Optical Brinell hardness tester, tensile testing machine, air-gauge: Dial bore gauges, Inside Micrometer etc.
Our Advantage	1) We are one of the leading manufacturer and exporter with a history of more than 20 years, enjoying an excellent reputation and keep a good relations with many foreign companies, especially with Europe, America and Southeast Asia. 2) We have a lot of high precise Machining equipment and high precision testing equipment our manufactory also have a large number of engineers, we can provide the best products and the best service for you.
Our Promise	1) The delivery time and the package can be controled according to the customers' requirement completely. 2) We will produce the products seriously according to the drawings, and make sure all the products is suitable for the customers. 3) We will communicate with the customers all the time about the products, we will send the pictures to the customers, so that they can know the producing process.

FAQ

Q: How can i get the price?

A: We usually quote within 24 hours after we get your inquiry(Except weekend and holidays). If you are very urgent to get the price, please email us or contact us in other ways so that we can offer you a quote.

Q: Can I buy samples placing orders?

A: Yes.Please feel free to contact us.

Q: What is your lead time?

A: It depends on the order quantity and the season you place the order.Usually we can ship within 7-15 days for small quantity,and about 30 days for large quantity.

Q: What is your payment term?

A: T/T,Western Union,L/C,and Paypal.This is negotiable.

Q: What is the shipping method?

A: It could be shipped by sea,by air or by express(EMS,UPS,DHL,TNT,FEDEX and ect).Please confirm with us before placing orders.



Sunrise Foundry CO.,LTD



+86-15067447509



sales@greycastironcasting.com



greycastironcasting.com