



## Ductile Iron Sand Casting Hot Galvanizing Casting Parts Electric Power Fittings Clamp

Our Product Introduction

for more products please visit us on [greycastironcasting.com](http://greycastironcasting.com)

### Basic Information

- Place of Origin: Mainland China
- Brand Name: NC8735
- Certification: ISO9001,CE,SGS
- Model Number: 8735
- Minimum Order Quantity: 100 pcs
- Price: Can talk
- Packaging Details: Standard
- Delivery Time: 30-35 days
- Payment Terms: T/T, L/C
- Supply Ability: 50,000 pcs per month



### Product Specification

- Part Name: Clamps
- Application: Electric Power
- Material: Ductile Iron
- Process: Sand Casting
- Finish: Hot Galvanizing
- Size: As Per Drawing



### More Images




## Product Description

### Ductile Iron Sand Casting Hot Galvanizing Casting Parts Electric Power Fittings Clamp

#### Product Details

<b>OEM casting</b>	According to the customer's drawing and requirements
<b>Application</b>	Metal Parts Solution for Automobile Vehicle, Agriculture machine, Construction Machine, Valve and Pump systems, such as various cases, tractor parts, diesel engine parts, engine bracket, truck chassis bracket, gear box , gear housing , gear cover, shaft, spline shaft , pulley, flange, connection pipe, pipe, valve housing ,Fitting , flange, wheel, flywheel, oil pump housing, starter housing, coolant pump housing, transmission shaft , transmission gear housing etc.
<b>Standard</b>	ASTM, ANSI, DIN, GB, NF, ISO, BS, JIS
<b>Casting process</b>	water-glass sand casting, water-glass investment casting, lost-wax investment casting, clay sand casting, furan resin sand casting, shell Casting, die casting
<b>Our Material</b>	stainless steel, carbon steel, low alloy steel, ductile iron, gray cast iron, aluminum alloy
<b>Casting Blank Weight</b>	Range from 0.01kg-1000kg for casting iron
<b>Dimensions</b>	2 mm-1200mm / 0.08inch-48inch for casting iron, as customers request
<b>Inspection</b>	Ultrasonic test, magnetic particle test, tensile test, X-ray test, Liquid penetrate test, etc.
<b>Surface treatment</b>	Anti-rust oil,coating , zinc-plating ,phosphating, epoxy spray coating, anodic oxidation treatment, plating or as per requirements
<b>Packaging</b>	European pallet, wooden case, paper box etc or as customers' requirements.

#### Casting Process





#### Our Service

We can provide:

- 1) Original material standard according to the original OEM technical drawing
- 2) Premium quality standard guaranteed
- 3) Long lasting and reliable working life time
- 4) Positive customer feedback from abroad and domestic market
- 5) Long exporting history to many counties in the world
- 6) Competitive and reasonable price
- 7) Able to develop & produce according to your specification with technical drawing
- 8) Unique Packing according to customer specification requirement

#### FAQ

**Q1: Wonder if you accept small orders?**

A1: Do not worry. Feel free to contact us .in order to get more orders and give our clients more convener ,we accept small order.

**Q2: Can you send products to my country?**

A2: Sure, we can. If you do not have your own ship forwarder, we can help you.

**Q3: Can you do OEM for me?**

A3: We accept all OEM orders,just contact us and give me your design.we will offer you a reasonable price and make samples for you ASAP.

**Q4: What's your payment terms ?**

A4: By T/T,LC AT SIGHT,30% deposit in advance, balance 70% before shipment.

**Q5: How long is your production lead time?**

A5:It depends on product and order qty. Normally, it takes us 15 days for an order with MOQ qty.

**Q6: When can I get the quotation ?**

A6: We usually quote you within 24 hours after we get your inquiry. If you are very urgent to get the quotation.Please call us or tell us in your mail, so that we could regard your inquiry priority.



**Sunrise Foundry CO.,LTD**



+86-15067447509



sales@greycastironcasting.com



greycastironcasting.com