

Professional Metal Foundry ASTM 65-45-12 Ductile Cast Iron Casting Forklift Fulcrum Bearing

Basic Information

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity: 100 pcs
- Price:
- Packaging Details:
- Delivery Time:
- Payment Terms: T/T, L/C
- Supply Ability:



Product Specification

- Item Name:
- Application:
- Material:
- Process:
- Standard:
- Size:
- Finish:
- Forklift QT450-10 Sand Casting

Fulcrum Bearing

Mainland China NC9852

ISO9001,CE,SGS

9852

Can talk

30 days

Wooden Case

60,000 pcs monthly

- ASTM 65-45-12
- As Per Drawing
- Blasting



More Images





Product Description

Professional Metal Foundry ASTM 65-45-12 Ductile Cast Iron Casting Forklift Fulcrum Bearing

Product Details

Product Name	Forklift Fulcrum Bearing
Material	QT450-10
Color	Customized
Standard	65-45-12
Grade	T400-18,QT450-10,0T600-3QT700-2
Weight	2.0KG
Surface Treatment	Oxidation, Plating zinc, Painting, Hot galvanized, Electroplating, Sand blasting
Used	Forklift



Production Line



Precoated Resin Sand Core

Automatic Molding Line



Machining Workshop





Products We've Made

We divide our products into several categories. Gray Iron Casting, Ductile Iron Casting, Steel Casting, Stainless Steel Casting for Scaffolding Accessories, Post Tension Anchorage, Automotive Part, Pump and Valve Body, Pipe Fitting, Manhole Cover and Bollard, Ornamental Fence and Spear, Light Pole and Bench Casting, Railway Part.



Factory Introduction

Sunrise Foundry is a professional Metal Foundry, located in Ningbo. We have been producing Gray Iron, Ductile Iron Castings and and any other precision castings for more than 25 years.

We are dedicated to meet different requirements of various customers across the world, products are mainly involved Agricultural and Construction Machinery, Hydraulic, Mining industry, Municipal Products, some steel and stainless steel castings for Pumps and Valves, Pipe Fittings, etc.

Please feel free to contact us if you have any requests.

Quality Control

