



Cast Grey Iron Sand Casting Friction Plate for Truck Spare Parts

Our Product Introduction

for more products please visit us on greycastironcasting.com

Basic Information

- Place of Origin: Mainland China
- Brand Name: NC6733
- Certification: ISO9001,CE,SGS
- Model Number: 6733
- Minimum Order Quantity: 100 pcs
- Price: Can talk
- Packaging Details: Wooden Case
- Delivery Time: 30 days
- Payment Terms: T/T, L/C
- Supply Ability: 60,000-80,000 pcs monthly



Product Specification

- Part Name: Friction Plate
- Application: Truck Spare Parts
- Material: Grey Iron
- Process: Sand Casting
- Surface: Sandblasting
- Quality Control: 100% Inspection



More Images



Product Description

Cast Grey Iron Sand Casting Friction Plate for Truck Spare Parts

Product Details

Material:	See Table Below (Ductile Iron Casting, Grey Iron Casting) or according to customer requirement
Process:	CNC Machining/ Lathing/ Milling/ Turning/ Boring/ Drilling/ Tapping/ Broaching/Reaming /Grinding/Honing and etc.
Machining Tolerance	From 0.005mm-0.01mm-0.1mm
Machined Surface Quality	Ra 0.8-Ra3.2, according to customer requirement
Surface:	Polishing,Painting,Sandblasting or as customer's require
Casting Blank Weight:	Range from 0.01kg-1000kg for casting iron
Applicable Heat Treatment	Normalization , annealing, quenching and tempering, Case Hardening, Nitriding, Carbon Nitriding, Induction Quenching
Applicable Finish Surface Treatment	Shot/sand blast, polishing, Surface passivation, Primer Painting , Powder coating, ED- Coating, Chromate Plating, zinc-plate, Dacromat coating, Finish Painting,
Package:	Plastic Bag Inside,Wooden Box Outside or as per customer's require
MOQ of mass production	For gray cast grey iron casting: 100pcs, or as customer required
Delivery Time:	45days from the receipt date of deposit for gray cast grey iron casting

Ductile Iron Casting Material Comparison Table :

Cast iron with nodular graphite DIN EN 1563	Germany DIN 1693	France NF	Great Britain BS	Netherlands NEN	Sweden MNC	USA ASTM A536
EN-GJS-350-22-LT	GGG-35.3	FGS 370-17	370/17	GN 38	0717-15	----
EN-GJS-400-18-LT	GGG-40.3	----	----	----	----	60-40-18
EN-GJS-400-15	GGG-40	FGS-400-12	420/12	GN 42	0717-02	60-40-18
EN-GJS-400-10	----	----	420/12	----	----	65-45-12
EN-GJS-500-7	GGG-50	FGS-500-7	500/7	GN 50	0727-02	65-45-12/ 80-55-06
EN-GJS-600-3	GGG-60	FGS-600-3	600/3	GN 60	0732-03	80-55-06
EN-GJS-700-2	GGG-70	FGS-700-2	700/2	GN 70	0737-01	100-70-03
EN-GJS-800-2	GGG-80	FGS-800-2	800/2			120-90-02
EN-GJS-1000-5 (DIN EN 1564)	GGG-100B/A	----	----	----	----	850-550-10
EN-GJS-AX NiSiCr35 5 2	GGG- NiSiCr 35 5 2	FGS- Ni35Si5Cr2	S5S	----	----	Type D-5S

Grey Iron Casting Material Comparison Table:

Cast iron with lamellar graphite DIN EN 1561	Germany DIN 1691	France NF	Great Britain BS	Netherlands NEN	Sweden MNC	USA ASTM A48
EN-GJL-150	GG-15	Ft 15 D	Grade 150	GG 15	01 15-00	20 B / 25 B
EN-GJL-200	GG-20	Ft 20 D	Grade 180/220	GG 20	01 20-00	25 B / 30 B
EN-GJL-250	GG-25	Ft 25 D	Grade 220/260	GG 25	01 25-00	35 B / 40 B
EN-GJL-300	GG 30	Ft 30 D	Grade 300	GG 30	01 30-00	40B / 45 B

Product Show

<< MORE PRODUCT >>



Products Application

APPLICATION SCENARIO



Quality Control



FAQ

1. How can I get the price?
- We usually quote within 24 hours after we get your inquiry.
- If you are very urgent to get the price, please email us or contact us in other ways so that we can offer you a quote.
2. Can I do trial orders?
- Yes. Please feel free to contact us.
3. What is your lead time?
- It depends on the order quantity and the season you place the order.
- Usually we can ship within 7-15 days for small quantity, and about 30 days for large quantity.
4. What is your payment term?
- Usually T/T. This is negotiable.



