



Monostrand Flat Prestressing Anchorage

Our Product Introduction

for more products please visit us on greycastironcasting.com

Basic Information

- Place of Origin: Mainland China
- Brand Name: NC9735
- Certification: ISO9001,CE,SGS
- Model Number: 9735
- Minimum Order Quantity: 100 pcs
- Price: Can talk
- Packaging Details: Wooden Case
- Delivery Time: 30 days
- Payment Terms: T/T, L/C
- Supply Ability: 60,000 pcs monthly



Product Specification

- Item Name: Monostrand Flat Prestressing Anchorage
- Type: Single Hole
- Material: Cast Iron
- Size: 0.5" 0.6"
- Application: Construction
- Standard: AISI, ASTM, DIN, EN, GB, JIS



More Images



Product Description

Monostrand Flat Prestressing Anchorage

Our unbonded systems feature 0.5" and 0.6" diameter strands coated with a layer of specially formulated grease. The outer layer is seamless plastic extruded in one continuous operation to provide protection against corrosion. Each tendon is precisely coiled, cut, labeled, color-coded and delivered to the construction site. A wide variety of anchorage systems (see Product Information tab below) are available to meet design specifications.

Encapsulated unbonded monostrand systems are used in areas that are subject to corrosive conditions. Strands are protected at the anchorages using greased plastic sleeves and grease-filled end caps. Additionally, anchorage components are fully encapsulated in a high density polyethylene plastic covering and an optional encapsulated intermediate coupler anchorage system can be used to protect the strand at construction joints.

Application


It has been widely adopted by modern construction, especially used in pre-tension or post-tension for concrete constructions as building materials.

Product Details

Item Name	Monostrand Flat Prestressing Anchorage
Holes for anchorage	One hole
Wedges	2pcs or 3pcs
Shape	Flat
Specification	Used for the PC steel strand 12.7mm and 15.24mm.
Package	In box and outside wooden case
Other parts for the anchor	anchor ring/plate, wedge, base plate, spiral bar, bellows/corrugated pipe.

Production Process

WorkShop



About Us

Sunrise Foundry is a professional Metal Foundry, located in Ningbo. We have been producing Gray Iron, Ductile Iron Castings and any other precision castings for more than 25 years.

We are dedicated to meet different requirements of various customers across the world, products are mainly involved Agricultural and Construction Machinery, Hydraulic, Mining industry, Municipal Products, some steel and stainless steel castings for Pumps and Valves, Pipe Fittings, etc.

Please feel free to contact us if you have any requests.

Quality Control



CMM



Tensile Test Machine



FAQ

Are you manufacturer or trade company? We are manufacturer.
We have been engaged in this field for 25 years.

What is your MOQ?

MOQ is different according to different kinds of product we can accept LCL .But we accept small quantity for trial order. Please contact us for details.

Can you print my own design or logo on the mug or other blank products?

Yes, we accept customization. Your logo and design will be warmly welcomed.

What is your delivery time?

For sample order: After the receipt of payment, usually it takes about 2-3 days to arrange samples.

For mass production: It takes about 7-15days depend on different kinds of item and order quantity.

How much will the transportation freight be?

The freight is offered depends on the weight & packing size and shipping schedule and different kinds of shipping method, such as shipping by sea, by air and by express. (We will help you choose a more favorable and safer way of transportation.)

How can I get the sample?

If sample without logo,we can offer you free sample,but we need to charge you freight. If sample with logo, please contact with us, we will quote you sample and freight.



Sunrise Foundry CO.,LTD



+86-15067447509



sales@greycastironcasting.com



greycastironcasting.com