

Monostrand Unbonded Flat Prestressing Anchorage

Basic Information

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity: 100 pcs
- Price:
- Packaging Details:
- Delivery Time:
- Payment Terms: T/T, L/C
- Supply Ability:



Product Specification

- Item Name:
- Material:
- Process:
- Wedge Materials:
- Size:
- Sample:

Monostrand Anchorage
Ductile Iron
Sand Casting
20CrMnTi
12.7 15.24
Available

Mainland China NC9733

ISO9001,CE,SGS

9733

Can talk

30 days

Wooden Case

60,000 pcs monthly



More Images



Product Description


Monostrand Unbonded Flat Prestressing Anchorage

Product Details

Product Name	Monostrand Unbonded Flat Prestressing Anchorage	
Material	Ductile Iron	
Color	Galvanized or Black	
Standard	GB/ISO/ASTM/SGS	
Product Shape	Round	
Product Type	Single Hole	
Place of Origin	Tianjin, Ningbo,Qingdao	
Application	Bridge, Building, Highway, Railway, etc	




Production Process



Quality Control









FAQ

1. Q: Can the Buyers Visit the Factory?

A: Yes. We all think the best way to guarantee the quality of products. In some condition we could offer a Sample for the customer if you pay for the express cost.

2. Q: Where is Payment ways? A: Both T/T payment and irrevocable L/C at sight. For the T/T payment, There has 30% prepayment in advance and the balance payable against copy of B/L.

3. Q: If accept OEM service to made product as per customer offering drawing?A: Yes, we can offer OEM service. We also offer customers new product design, non-standard design and prestressing construction plan

Sunrise Foundry CO.,LTD				
+86-15067447509	Sales@greycastironcasting.com	e greycastironcasting.com		