



Precision Steel Investment Casting Auto Spare Parts

Our Product Introduction

Basic Information

- Place of Origin: Mainland China
- Brand Name: NC6831
- Certification: ISO9001,CE,SGS
- Model Number: 6831
- Minimum Order Quantity: 100 pcs
- Price: Can talk
- Packaging Details: Wooden Case
- Delivery Time: 30 days
- Payment Terms: T/T, L/C
- Supply Ability: 60,000-80,000 pcs monthly



Product Specification



More Images



Product Description

Precision Steel Investment Casting Auto Spare Parts

Product Details

Material	Carbon steel, Alloy steel, Stainless steel, Aluminium, Copper
Process	Lost wax casting + CNC machining
Casting tolerance	ISO 2768-mK, VDG P690 D1-D2, ISO8062-3-2007 DCTG4-6, GCTG4-6
Casting roughness	Ra1.6-3.2
Machining roughness	Ra0.8-3.2
Casting weight range	0.005-50kg
Material standard	GB, ASTM, AISI, DIN, BS, JIS, NF, AS, AAR....
Surface treatment	Zinc plating, Polishing, Anodizing, Painting, Nickel plating
Heat treatment	Annealing, Normalizing, Hardening, Tempering, Case hardening....
Service	OEM& ODM
Quality Control	IATF16949:2016, ISO14001:2015, ISO9001
Application	auto accessories

Production Process



Product Show



About Us

Sunrise Foundry is a professional Metal Foundry, located in Ningbo. We have been producing Gray Iron,

Ductile Iron Castings and any other precision castings for more than 25 years.

We are dedicated to meet different requirements of various customers across the world, products are mainly involved Agricultural and Construction Machinery, Hydraulic, Mining industry, Municipal Products, some steel and stainless steel castings for Pumps and Valves, Pipe Fittings, etc.

Please feel free to contact us if you have any requests.

Quality Control



CMM



Tensile Test Machine



FAQ

Q1. Are you a manufacturer or a trading company?

A1. We are a professional manufacturer with over 15 years' export experience for designing and producing metal castings.

Q2. What is your MOQ?

A2. It is according to you, usually it is 1000 units. We accept small quantity..

Q3. What is the delivery time for the sample?

A3. It is according to the sample, usually it is 25 to 35 days.

Q4. What is the thinnest wall thickness you can cast?

A4. By special technology, like ceramic core/soluble wax, we can cast the wall thickness at 0.5-0.8mm.

Q5. What is the range of the weight you have casted?

A5. The weight we can cast from 0.007kg to 80kg.



Sunrise Foundry CO.,LTD



+86-15067447509



sales@greycastironcasting.com



greycastironcasting.com