



## Post Tension Unbonded Mono Strand Anchor 12.7/15.24mm

### Basic Information

- Place of Origin: ISO9001,CE,SGS
- Brand Name: NC9831
- Certification: ISO9001,CE,SGS
- Model Number: 9831
- Minimum Order Quantity: 100 PCS
- Price: Can talk
- Packaging Details: Wooden Case
- Delivery Time: 30 days
- Payment Terms: T/T, L/C
- Supply Ability: 60,000 pcs monthly



### Product Specification

- Item Name: Monostrand Anchor
- Material: Cast Iron
- Application: Concrete, Building
- Diameter: 12.7/15.24
- Process: Sand Casting
- Sample: Available



### More Images



## Product Description

### Post Tension Unbonded Mono Strand Anchor 12.7/15.24mm

#### Product Details

A post-tension anchor is a crucial component in post-tensioning systems, which are used to create prestress in concrete structures. The anchor plate, as a vital part of the anchor, plays a significant role in distributing stresses evenly across a broader area of concrete. By doing so, it minimizes the risk of localized stress concentrations, thereby enhancing the overall structural integrity and durability of the system. This ensures that the concrete structure can withstand loads more effectively and maintain its stability over time.

Accurate in reading drawings & Fast in delivery & Exact dimension control & 100% quality control & OEM Service & Strict material inspection & Prompt quote & lead time guarantee

1. Product Name:	Customized Cast Iron Prestressed Unbonded Monostrand Anchorage
2. Material:	Steel
3. Material Standard:	ASTM,AISI,ASME,SAE,NF EN,DIN EN,ISO.,BS EN,SS,etc.
4. Items:	Cast & Machined
5. Lead time:	30~40 days
6. Place of origin	Ningbo, China
7. Software for specification drawings:	PDF, Auto CAD, Solidworks, JPG, ProE,etc.
8. Main equipments:	CNC-machine-center, Lathe, Milling machine,Drilling machine,Boring Lathe,Grinding Machine, Heat treatment Furnace.
9. Heat Treatment Machine:	Mesh-Belt-Furnace,Carburizing Quench Furnace,Chamer Furnace,etc.
10. Surface Treatment:	Cold/Hot Zn Plating,Blackening Treatment(Salt Spray Test 48-96 hours),Ni Plating,Cr Plating,Spraying Undercoat,Anti-Rust Paint,Surface Paint,Plastic Paint,Coated Anti-Rust Water,Anti-oil,etc.
11. Surface Heat Treatment:	Medium Freqeunce Quenching,High Freqeunce Quenching and Carburizing and Quenching,Oil Quenching,Water quenching,Normalizing, Temper,Annealing,etc.
12. Dimension Inspection:	Calipers,Height Laugue,Micrometer Calipers,Inside Caliper Gauge,Angle and R Gauge,Three coordinates measuring instrument.
13. Productivity:	50000 pcs / year
14. Packaging:	Wooden package after mandatory treatment or other

#### About Us

Sunrise Foundry is a professional Metal Foundry, located in Ningbo. We have been producing Gray Iron, Ductile Iron Castings and any other precision castings for more than 25 years.

We are dedicated to meet different requirements of various customers across the world, products are mainly involved Agricultural and Construction Machinery, Hydraulic, Mining industry, Municipal Products, some steel and stainless steel castings for Pumps and Valves, Pipe Fittings, etc.

Please feel free to contact us if you have any requests.

#### Quality Control



CMM



Tensile Test Machine



## FAQ

A) How could I get a sample? Before we received the first order, please afford the sample cost and express fee. We will return the sample cost back to you within your first order.

B) Whether you could make our brand on your products? Yes. We can print your Logo on both the products and the packages if you can meet our MOQ.

C) Whether you could make your products by our color? Yes, The color of products can be customized if you can meet our MOQ.

D) How to guarantee the quality of your products? 1) Strict detection during production. 2) Strict sampling inspection on products before shipment and intact product packaging ensured.



**Sunrise Foundry CO.,LTD**



+86-15067447509



sales@greycastironcasting.com



greycastironcasting.com